

# DOCUMENT SCAN CONTROL SHEET

---

Document ID 511740

EPA # 65615-1-149

EPA #  
For SLN

Product SWEENEY'S MOLE & GOPHER REPELLENT I  
Name

Accepted  
Date 7/17/2007

Document  
Type PRILAB

Registration ID 105399

*Hose End Application*



# Mole & Gopher\* Repellent

Repelente de Topos y Tuzas\*

## Use to Repel

Moles, Voles\*, & Gophers\* from lawns, ornamentals and turf

Repele Topos, Ratones Campestres\* y Tuzas\*, del césped, ornamentos y tepe

## Treats 10,000 Sq Ft

Trata 10,000 pies cuadrados

**Lawn Protection**  
Proteja su césped

ACTIVE INGREDIENTS/INGREDIENTES ACTIVOS:  
Castor Oil USP/Aceite de Castor 100.00%

NET CONTENTS/CONTENIDO NETO  
32 FL. OZ. (946 mL)

D-LAB-98002F

KEEP OUT OF REACH  
OF CHILDREN

**CAUTION**

MANTÉNGASE FUERA DEL  
ALCANCE DE LOS NIÑOS

**PRECAUCIÓN**

3.875"

10/24/06



3.875"



Peel back label for  
directions and precautions

**OPEN**  
ABRIR

Pele la etiqueta hacia atrás  
para instrucciones y precauciones

# Mole & Gopher\* Repellent

## Repelente de Topos y Tuzas\*

### DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**USE RESTRICTIONS:** This product may be used to repel eastern moles (*Scalopus aquaticus*), voles\* and gophers\* from lawns, ornamentals and turf.

**LOCATING MOLES:** The presence of moles may be indicated by a network of surface ridges in the turf or by a series of conical mounds of earth pushed up from deep burrows. Treat all areas which show signs of moles' presence.

\*Not approved for use on gophers and voles in California.

P-LAB-8002B



### INSTRUCCIONES PARA EL USO:

Constituye violación a la Ley Federal usar este producto de una manera distinta a la especificada en la etiqueta.

**RESTRICCIONES DEL USO:** Este producto puede ser utilizado para repeler topos del este (*Scalopus aquaticus*), ratón campestre\* y ardillas terrestres\* del césped, ornamentos y tepe.

**LOCALIZACION DE LOS TOPOS:** La presencia de topos puede detectarse por una red de rebordes en la superficie del tepe o por una serie de montículos conicos de tierra que se elevan desde madrigueras profundas. Trate todas las areas que muestren senales de la presencia de topos.

\*No está aprobado para uso en tuzas y ratones campestres en California.

Manufactured for: Senoret Chemical Co., Inc.  
566 Leffingwell Ave. • St. Louis, MO 63122-6334  
800-837-7644 • www.wrsweeney.com

EPA Reg. No. 65615-1-149

EPA Est. No. 65615-MI-02a, 149-MO-1b

## **APPLICATION DIRECTIONS:**

Attach garden hose tightly to self-dispensing container. Turn water supply on to full pressure. Spray this product over mole-infested area at a rate of one quart of product per 10,000 sq. ft. (e.g., a 100 ft by 100 ft. rectangle). Adjust the spray nozzle to "WATER". Continue to spray with water to soak this product into the soil. Apply this product immediately after the presence of moles is detected or in early Spring, mid-Summer and early Fall if there are moles nearby but not on your property.

These directions also apply to voles\* and gophers\*.

## **PRECAUTIONARY STATEMENTS:**

### **ENVIRONMENTAL HAZARDS**

For terrestrial uses: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

## **STORAGE AND DISPOSAL:**

Do not contaminate food, feed or water by storage or disposal.

**STORAGE:** Store only in original container, in a dry place inaccessible to children and pets.

**DISPOSAL:** If empty: For non-refillable containers, do not reuse this container. Place in trash or offer for recycling if available.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

### INSTRUCCIONES PARA LA APLICACIÓN

Una la manguera de jardín de forma segura al envase auto-dispensador. Abra el suministro de agua con toda la presión.

Rocíe este producto sobre el área infectada con topos a razón de un cuarto del producto por 10,000 pies cuadrados (929 m<sup>2</sup>) (por ejemplo, un rectángulo de 100 pies por 100 pies [9.2 x 9.2m<sup>2</sup>]).

Coloque la boquilla rociadora en la posición "WATER". Continúe rociando con agua para empapar el suelo con este producto. Aplique este producto inmediatamente después que se haya detectado la presencia de topos o al principio de la primavera, mitad del verano o al principio del otoño si hay topos en las cercanías, aunque no estén en su propiedad.

Estas instrucciones también se aplican a ratones de campo\* y ardillas terrestres\*.

#### MEDIDAS PREVENTIVAS:

##### RIESGOS AMBIENTALES

No lo aplique directamente en el agua, a áreas donde el agua de la superficie esta presente o a áreas intermareales por debajo de la marca promedio correspondiente nivel más alto del agua. No contamine el agua cuando deseche las aguas con que lavó o enjuagó el equipo.

### ALMACENAMIENTO Y DESECHO:

No contamine los alimentos, el forraje o el agua cuando almacene o deseche.

**ALMACENAMIENTO:** Guarde sólo en el envase original, en un lugar seco e inaccesible a niños y mascotas.

**DESECHO:** Si está vacío: Para recipientes que no puedan rellenarse, no reutilice este recipiente. Colóquelo en la basura u ofrézcalo para reciclar, si el servicio estuviere disponible.

**AVISO:** El comprador asume toda la responsabilidad por la seguridad y el uso que no esté en concordancia con las instrucciones.

PRESSTO RESEAL PRESIONE PARA RE SILLAR

44351-2\_Mole Gopher Base  
44351-2\_Senoret\_P-LAB-P8002B  
colors: black, pms 012

created by customer  
alt: 10-21-06 bm  
size: 3.875"(w) x 3.875"(h)